

ACETAMINOPHEN DOSAGE

(ex. Tylenol® given every 4-6 hours, not to exceed four doses in 24 hours)

WEIGHT lbs.	ORAL SUSPENSION 160 mg/5 ml	CHEWABLE 160 mg	ADULT TABLET 325 mg
6 - 11 lbs.	¼ tsp. (1.25 ml)		
12 -17 lbs.	½ tsp. (2.5 ml)		
18 - 23 lbs.	¾ tsp. (3.75 ml)		
24 - 29 lbs.	1 tsp. (5 ml)	1	
30 - 35 lbs.	1 ¼ tsp. (6.25 ml)		
36 - 47 lbs.	1 ½ tsp. (7.5 ml)	1½	
48 - 58 lbs.	2 tsp. (10 ml)	2	1
59 - 64 lbs.	2 ½ tsp. (12.5 ml)	2½	
65 - 76 lbs.	2 ¾ tsp. (13.75 ml)		
77 - 95 lbs.		3	1½
96 lbs. & over			2

IBUPROFEN DOSAGE

(ex. Advil®, Motrin® given every 6 to 8 hours)

Not recommended under 6 months of age

WEIGHT lbs.	INFANT DROPS 50mg/1.25ml	CHILDREN'S LIQUID 100mg/5ml	CHILDREN'S CHEWABLE 50mg (100mg)*	JUNIOR TABLET 100mg	ADULT TABLET 200mg
6 - 11 lbs.	0.625 ml				
12 -17 lbs.	1.25 ml	½ tsp.			
18 - 21 lbs.	1.875 ml	¾ tsp.			
22 - 27 lbs.	2.50 ml	1 tsp.	2	1	
28 - 32 lbs.		1 ¼ tsp.			
33 - 43 lbs.		1 ½ tsp.	3		
44 - 54 lbs.		2 tsp.	4	2	1
55 - 65 lbs.		2 ½ tsp.			
66 - 75 lbs.		3 tsp.		3	
76 - 85 lbs.		3 ½ tsp			
86 lbs. & over		4 tsp.		4	2

*Chewables available in 50 mg and 100 mg – read packaging carefully before administering dose. For example, for a child 20 lbs. give two 50 mg chews or one 100 mg chew.